


SUBMERSIBLE PUMPS AND MOTORS

PRODUCT OVERVIEW



NEW RANGE

S4

THE STRONG AND EFFICIENT RANGE



FLOW: UP TO 21,6 m³/h
HEAD: UP TO 427 m



AMEIRA
4" SUBMERSIBLE PUMPS

**DISCOVER THE NEW RANGE
OF SUBMERSIBLE PUMPS FROM DAB.**

AMEIRA is an acronym: "**All MEI R**ange" because all the models have a MEI value $\geq 0,4$.

MEI is the Minimum Efficiency Index (European Regulation that applies specifically to water pumps).

DABPUMPS.COM



DAB
WATER • TECHNOLOGY

DAB AND TESLA



DAB's Headquarter

With **over 2 million units produced every year**, DAB's electronic pumps are synonymous with technology and reliability.

Thanks to the merger with **TESLA**, a leading Italian manufacturer of submersible motors, DAB is now the first Italian manufacturer of submersible motors with more than 200.000 units produced last year.

Joined to DAB production of a wide range of submersible pumps from 3" to 12", we are able to provide adequate solutions for every kind of application, from small domestic irrigation to the most important industrial applications and water supply.

There are also special versions of pumps for use in waters with varying degrees of aggressiveness.

The range of TESLA motors, **entirely designed and manufactured in Italy** with ISO 9001 certified processes, is able to cover all your needs and it includes water-filled encapsulated motor (3", 4" and 6"), water-filled rewindable (up to 14") and oil-filled rewindable (4").

DAB puts at your disposal a dedicated technical and commercial office, which provides product development, immediate support and flexibility, while also offering a high degree of customization.



RANGE

3" PUMPS



NEWS



4" PUMPS

PUMPS FROM 6" TO 12"




MOTORS FROM 3" TO 14"




DAB is in compliance with EcoDesign Directive (ErP - Directive Energy related Products - 2009/125/CE)
EC Regulation 547/2012 which provides:

FOR MULTISTAGE SUBMERSIBLE PUMPS (MSS) 4" AND 6"
• starting from 01 January 2015 $MEI \geq 0,4$

MICRA - PERFORMANCE RANGE 3"




S4 AMEIRA - PERFORMANCE RANGE 4"




S4 ONLY FOR EXTRA EU - PERFORMANCE RANGE 4"



SS - PERFORMANCE RANGE FROM 6" TO 10"



SMC - PERFORMANCE RANGE FROM 6" TO 12"



SUBMERSIBLE PUMPS AND MOTORS

OVERVIEW

SUBMERSIBLE PUMPS

3"



HIGH SPEED
130 HZ

SERIES	MICRA HS - MICRA
TECHNICAL DATA	<ul style="list-style-type: none"> • MAX DELIVERY MICRA HS: 5 m³/h MICRA: 2,5 m³/h • MAX HEAD: 150 m • MAX FREQUENCY MICRA HS: 130 Hz (7600 rpm) MICRA: 50 Hz (2900 rpm)
FEATURES	<ul style="list-style-type: none"> • HYDRAULIC PART <ul style="list-style-type: none"> · Pump body: Stainless steel · Impellers: noryl · Diffusers: self-lubricating polyacetal · Base support and head: brass • MOTOR <ul style="list-style-type: none"> · Type: <ul style="list-style-type: none"> 3HS: high speed - canned water-filled resin-filled canned stator 3GF: canned water-filled - resin-filled canned stator · Materials: AISI 304 Stainless steel and brass
EXTRA	<ul style="list-style-type: none"> • MAX DELIVERY: 260 m³/h

FOR ADDITIONAL INFORMATION PLEASE CONSULT OUR TECHNICAL LITERATURE



SUBMERSIBLE PUMPS

4"

NEW



AMEIRA
4" SUBMERSIBLE PUMPS

4"

NEW



ONLY FOR
EXTRA EU
MARKETS

SERIES	S4	S4
TECHNICAL DATA	• MAX DELIVERY: 21,6 m³/h	• MAX DELIVERY: 21,6 m³/h
	• MAX HEAD: 427 m	• MAX HEAD: 368 m
	• POWER RANGE: from 0,37 kW to 7,5 kW	• POWER RANGE: from 0,37 kW to 7,5 kW
FEATURES	• HYDRAULIC PART <ul style="list-style-type: none"> • Pump body: Stainless steel • Impellers: technopolymer • Diffusers: technopolymer • Base support and head: precision cast steel AISI 304 	• HYDRAULIC PART <ul style="list-style-type: none"> • Pump body: Stainless steel • Impellers: technopolymer • Diffusers: technopolymer • Base support and head: precision cast steel AISI 304
	• MOTOR <ul style="list-style-type: none"> • Type: <ul style="list-style-type: none"> 4GG: water-filled motor with resin-filled stator 40L: oil-filled motor with stator inside a sleeve in AISI 304L stainless steel • Materials: AISI 304 stainless steel 	• MOTOR <ul style="list-style-type: none"> • Type: <ul style="list-style-type: none"> 40L: oil-filled motor with stator inside a sleeve in AISI 304L stainless steel • Materials: AISI 304 stainless steel
EXTRA	<p>AVAILABLE VERSION WITH 4TW MOTOR WITH INTEGRATED CAPACITOR WHICH DOES NOT REQUIRE THE CONTROL BOX</p> <p>ALSO AVAILABLE IN KIT VERSION CONTAINING CONTROL BOX FOR SINGLE-PHASE VERSIONS, 15, 30 OR 40 METERS OF ELECTRIC CABLE AND SAFETY CORD</p>	<p>AVAILABLE VERSION WITH 4TW 4GG 4GX MOTOR WITH INTEGRATED CAPACITOR WHICH DOES NOT REQUIRE THE CONTROL BOX</p> <p>ALSO AVAILABLE IN KIT VERSION CONTAINING CONTROL BOX FOR SINGLE-PHASE VERSIONS, 15, 30 OR 40 METERS OF ELECTRIC CABLE AND SAFETY CORD</p>

FOR ADDITIONAL INFORMATION PLEASE CONSULT OUR TECHNICAL LITERATURE

SUBMERSIBLE PUMPS AND MOTORS

OVERVIEW

SUBMERSIBLE PUMPS

6"

10"



AVAILABLE VERSION
AISI 316

SERIES	SS6 - SS7 - SS8 - SS10
TECHNICAL DATA	• MAX DELIVERY: 260 m ³ /h
	• MAX HEAD: 670 m
	• POWER RANGE: 4 kW - 190 kW
FEATURES	• HYDRAULIC PART <ul style="list-style-type: none"> · Pump body: AISI 304 pressed steel · Impellers: AISI 304 pressed steel · Diffusers: AISI 304 pressed steel
	• MOTOR <ul style="list-style-type: none"> · Type: <ul style="list-style-type: none"> 6GF: canned water-filled - resin-filled canned stator TR6 - TR10: rewindable water-filled · Materials: AISI 304 stainless steel and cast iron
EXTRA	DIFFERENT VOLTAGE AND SPECIAL MATERIALS (AISI 316) FOR AGGRESSIVE WATER AVAILABLE ON REQUEST

FOR ADDITIONAL INFORMATION PLEASE CONSULT OUR TECHNICAL LITERATURE



SUBMERSIBLE PUMPS

6"



8"

12"



AVAILABLE VERSION
AISI 316

SERIES	SMC6	SMC8 - SMC10 - SMC12
TECHNICAL DATA	<ul style="list-style-type: none"> • MAX DELIVERY: 84 m³/h 	<ul style="list-style-type: none"> • MAX DELIVERY: 540 m³/h
	<ul style="list-style-type: none"> • MAX HEAD: 452 m 	<ul style="list-style-type: none"> • MAX HEAD: 488 m
	<ul style="list-style-type: none"> • POWER RANGE: 4 kW - 45 kW 	<ul style="list-style-type: none"> • POWER RANGE: 4 kW - 250 kW
FEATURES	<ul style="list-style-type: none"> • HYDRAULIC PART <ul style="list-style-type: none"> • Pump body: cast iron with cataphoresis coating • Impellers: precision cast steel AISI304 	<ul style="list-style-type: none"> • HYDRAULIC PART <ul style="list-style-type: none"> • Pump body: cast iron with cataphoresis coating • Impellers: cast iron, with cataphoresis coating (SMC8 60 -SMC8 85), precision cast steel
	<ul style="list-style-type: none"> • MOTOR <ul style="list-style-type: none"> • Type: <ul style="list-style-type: none"> 6GF: canned water-filled-resin-filled canned stator TR6: rewindable water-filled • Materials: AISI 304 stainless steel and cast iron 	<ul style="list-style-type: none"> • MOTOR <ul style="list-style-type: none"> • Type: <ul style="list-style-type: none"> 6GF: canned water-filled-resin-filled canned stator TR6-TR12: rewindable water-filled • Materials: AISI 304 stainless steel and cast iron
EXTRA	DIFFERENT VOLTAGE AVAILABLE ON REQUEST	DIFFERENT VOLTAGE AND SPECIAL MATERIALS (AISI 316) FOR AGGRESSIVE WATER AVAILABLE ON REQUEST

FOR ADDITIONAL INFORMATION PLEASE CONSULT OUR TECHNICAL LITERATURE

SUBMERSIBLE PUMPS AND MOTORS

OVERVIEW

SUBMERSIBLE MOTORS

3"



4"



SERIES	3GF - 3HS	4GG - 4GX - 4TW - 4OL
TECHNICAL DATA	<ul style="list-style-type: none"> POWER RANGE SINGLE-PHASE: 0,37 kW - 0,75 kW / 0.5 HP - 1 HP THREE-PHASE: 0,37 kW - 0,75 kW / 0.5 HP - 1 HP 	<ul style="list-style-type: none"> POWER RANGE 4GG - 4GX - 4OL SINGLE-PHASE: 0,37 kW - 4 kW / 0.5 HP - 5 HP 4GG - 4GX - 4OL THREE-PHASE: 0,37 kW - 7,5 kW / 0.5 HP - 10 HP 4TW SINGLE-PHASE: 0,37 kW - 1,1 kW / 0.5 HP - 1,5 HP
FEATURES	<ul style="list-style-type: none"> TYPE 3GF: canned water-filled - resin-filled canned stator 3HS: high-speed (7600 rpm) canned water-filled resin-filled canned stator 	<ul style="list-style-type: none"> TYPE 4GG: canned water-filled - resin-filled canned stator 4GX: canned water-filled (AISI316) resin-filled canned stator 4TW: encapsulated water-filled motor with Resin-filled stator, toroidal capacitor included 4OL: rewindable oil-filled
	<ul style="list-style-type: none"> MATERIALS 3GF: AISI 304 stainless steel and brass 3HS: AISI 304 stainless steel and brass 	<ul style="list-style-type: none"> MATERIALS 4GG: AISI 304 stainless steel 4GX: AISI 316 stainless steel 4TW: AISI 304 stainless steel 4OL: AISI 304 stainless steel
EXTRA	DIFFERENT VOLTAGE AVAILABLE ON REQUEST	DIFFERENT VOLTAGE AVAILABLE ON REQUEST

FOR ADDITIONAL INFORMATION PLEASE CONSULT OUR TECHNICAL LITERATURE

SUBMERSIBLE PUMPS AND MOTORS



SUBMERSIBLE MOTORS

6"



6"

14"



SERIES	6GF - 6GX	TR6 - TR8 - TR10 - TR12 - TR14
TECHNICAL DATA	<ul style="list-style-type: none"> POWER RANGE 6GF - 6GX SINGLE-PHASE: 3,7 kW - 11 kW 6GF - 6GX THREE-PHASE: 4 kW - 37 kW / 5.5 HP - 60 HP 	<ul style="list-style-type: none"> POWER RANGE TR6 THREE-PHASE: 2 poles 5,5 kW - 45 kW / 7,5 HP - 60 HP TR8 THREE-PHASE: 2 poles 22 kW - 110 kW / 30 HP - 150 HP 4 poles 11kW - 45 kW / 15 HP - 60 HP TR10 THREE-PHASE: 2 poles 75 kW - 190 kW / 100 HP - 260 HP 4 poles 30 kW - 110 kW / 40 HP - 150 HP TR12 THREE-PHASE: 2 poles 132 kW - 300 kW / 180 HP - 400 HP 4 poles 75 kW - 147 kW / 100 HP - 200 HP TR14 THREE-PHASE : 2 poles 220 kW - 400 kW / 300 HP - 550 HP 4 poles 170 kW - 300 kW / 230 HP - 400 HP
FEATURES	<ul style="list-style-type: none"> TYPE canned water-filled MATERIALS 6GF: AISI 304 stainless steel and cast iron resin-filled canned stator 6GX: AISI 316 stainless steel - resin-filled canned stator 	<ul style="list-style-type: none"> TYPE rewindable water-filled MATERIALS STANDARD VERSIONS: AISI 304 stainless steel and cast iron SPECIAL VERSION: AISI 316 /904 stainless steel AVAILABLE ON REQUEST A PE2 + PA WINDING VERSION FOR INVERTER APPLICATION
EXTRA	DIFFERENT VOLTAGE AVAILABLE ON REQUEST	AVAILABLE FULL RANGE OF 4 POLES REWINDABLE WATER-FILLED MOTORS

FOR ADDITIONAL INFORMATION PLEASE CONSULT OUR TECHNICAL LITERATURE

SUBMERSIBLE PUMPS AND MOTORS



DAB PUMPS LTD.
6 Gilberd Court
Newcomen Way
Severalls Business Park
Colchester
Essex
CO4 9WN - UK
salesuk@dwtgroup.com



DAB PUMPS IBERICA S.L.
Calle Verano 18-20-22
28850 - Torrejón de Ardoz - Madrid
Spain
Info.spain@dwtgroup.com
Tel. +34 91 6569545
Fax: +34 91 6569676



DAB PUMPS SOUTH AFRICA
Twenty One industrial Estate,
16 Purlin Street, Unit B, Warehouse 4
Olifantsfontein - 1666 - South Africa
info.sa@dwtgroup.com
Tel. +27 12 361 3997



DAB PUMPS BV
'tHofveld 6 C1
1702 Groot Bijgaarden - Belgium
info.belgium@dwtgroup.com
Tel. +32 2 4668353



DAB PUMPS HUNGARY KFT.
H-8800
Nagykanizsa, Buda Ernő u.5
Hungary
Tel. +36 93501700



DAB PUMPS (QINGDAO) CO. LTD.
No.40 Kaituo Road, Qingdao Economic & Technological
Development Zone
Qingdao City, Shandong Province - China
PC: 266500
sales.cn@dwtgroup.com
Tel. +86 400 186 8280
Fax +86 53286812210



DAB PUMPS POLAND Sp. z o.o.
Ul. Janka Muzykanta 60
02-188 Warszawa - Poland
polska@dabpumps.com.pl



DAB PUMPS B.V.
Albert Einsteinweg, 4
5151 DL Drunen - Nederland
info.netherlands@dwtgroup.com
Tel. +31 416 387280
Fax +31 416 387299



OOO DAB PUMPS
Novgorodskaya str. 1, block G
office 308, 127247, Moscow - Russia
info.russia@dwtgroup.com
Tel. +7 495 122 0035
Fax +7 495 122 0036



DAB PUMPS DE MÉXICO, S.A. DE C.V.
Av Amsterdam 101 Local 4
Col. Hipódromo Condesa,
Del. Cuauhtémoc CP 06170
Ciudad de México
Tel. +52 55 6719 0493



DAB PUMPEN DEUTSCHLAND GmbH
Tackweg 11
D - 47918 Tönisvorst - Germany
info.germany@dwtgroup.com
Tel. +49 2151 82136-0
Fax +49 2151 82136-36



DAB PUMPS INC.
3226 Benchmark Drive
Ladson, SC 29456 - USA
info.usa@dwtgroup.com
Tel. 1-843-797-5002
Fax 1-843-797-3366



DAB PUMPS OCEANIA PTY LTD
426 South Gippsland Hwy,
Dandenong South VIC 3175 - Australia
info.oceania@dwtgroup.com
Tel. +61 1300 378 677